



For more information please contact

Laurel Alston - Equipment Inventory Coordinator

laurel.alston@perpetualenergyinc.com

Phone: 403-269-4498

REFERENCE #	EQUIP. TYPE	Manufacturer	Size DM	Service	Cond.	Comments
01-5001	Desiccant Plant	Various		Sweet	C	1440 psi
06-5002	Dehy	Alco	20"x36'	Sweet	C	1440 psi
06-5003	Dehy	Alco	12"x28'	Sweet	C	1440 psi
06-5004	Dehy	Wells Hall	16"x 28'	Sweet	D	1440 psi
06-5005	Dehy	Natco	24"x30'	Sweet	C	1415 psi
06-5006	Dehy	Presson	20"x24'	Sweet	C	1415 psi
06-5008	Dehy	Propack	20"x30'	Sweet	C	9755 kpa
06-5009	Dehy	Alco	20"x30'	Sweet	C	1480 psi
06-5010	Dehy	Alco	30"x30'	Sweet	B	1459 psi
06-5012	Dehy	Natco	16"x30'	Sweet	B	1430 psi
06-5013	Dehy	Penfabo	20"x24'	Sweet	D	1440 psi
06-5015	Dehy	Presson	20"x28'	Sweet	C	1440 psi
06-5018	Dehy	Presson	20"x28'	Sweet	C	1415 psi
06-5019	Dehy	Presson	20"x28'	Sweet	C	1415 psi
06-5020	Dehy	Alco	20"x28'	Sweet	C	20" x 28 ft 8 tray Contactor
12-5001	Flare Stack	N/A	8"x30'	Sweet	B	30"X5' knock out drum as base, 3" 300 ANSI Flgd inlet port, Electric ignitor
14-5003	Generator	Driver - Hercules Generator- BBC		Sweet	C	50 KW 1800 rpm rating
14-5004	Generator	Driver - John Deere&GMC Generator - Kohler&Newage Model 80R0ZJ62		Sweet	C	Dual Generator Package - Kohler Gen. Single phase 61Kw,61KVA,120/240Volt,265amp. Newage Gen.208Volt,3phase,124 amp,60Hz
14-5005	Generator	Doubled Waukesha Generator Skid		Sweet	D	2 Waukesha, 6 cyl, model VRG310U Natural Gas Drivers, Kato Manf., model 30-684361111, KW-30, KVA-37.5, phase 3, 60 Hz, 1200 rpm
14-5006	Generator	Drivers - Chevrolet Generators - GM, Model 60RZG		Sweet	B	Doubled Chevrolet Generator Package, 2 Chevrolet V. Natural Gas engines driving Kohler 75 KVA Generator, - 60 Hz@1800 rpm
17-5001	Instrument Air Pkg	Fabweld	30"x58"	Sweet	C	Comp.Broomwade Model AC41CAR, c/w Electric motor & Dryer-PALL model 35HA7
19-5001	Glycol Heater	N/A	48"x12'	Sweet	C	1,500,000 btu/hr, 2-G&L pumps Model SSH
19-5002	Glycol Heater	BS&B, Model 32-CL5559	24"x10'	Sweet	C	500,000btu/hr,
20-5005	Meter Skid	N/A	N/A	Sweet	C	Skidded & Housed, 2" 300 Ansi Flgd Camco Meter run and changer



For more information please contact

Laurel Alston - Equipment Inventory Coordinator

laurel.alston@perpetualenergyinc.com

Phone: 403-269-4498

20-5007	Meter Skid	N/A	N/A	Sweet	C	Skidded & Housed, catadyne heated c/w 3"600 flgd meter run , camco orifice changer, barton 2 pen dryflow recorder
20-5009	Meter Skid	RJV	8"x30"	Sweet	A	Lo Flo Separator Package, 1440 psi@100F, Vert.
20-5010	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5011	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5012	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5013	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5014	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5015	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5016	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5017	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5018	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5019	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
20-5020	Meter Skid & Methanol Sphere	Bromley	36" Spheres	Sweet	A	MAWP 1000 psi at 100F, 500 Gallon dbl. wall tanks
PKG0488	Meter Run & Sphere	Moss Fabrication	3" with 36" spheres	Sweet	A	150# Meter Box - 36" Drip Sphere
PKG0489	Meter Run & Sphere	Moss Fabrication	3" with 36" spheres	Sweet	A	150# Meter Box - 36" Drip Sphere
PKG0490	Meter Run & Sphere	Moss Fabrication	3" with 36" spheres	Sweet	A	150# Meter Box - 36" Drip Sphere
PKG0487	Meter Run & Sphere	Moss Fabrication	3" with 36" spheres	Sweet	A	150# Meter Box - 36" Drip Sphere
PKG0486	Meter Run & Sphere	Moss Fabrication	3" with 36" spheres	Sweet	A	150# Meter Box - 36" Drip Sphere
20-5021	Meter Skid	IPS Manuf.	8"x26"	Sweet	B	Mini Cyclone Sep. - 2" 600ANSI Flgd National Meter Run and Changer
20-5022	Meter Skid	Petrofield	8"x18"	Sweet	C	1440 psi@100F
20-5023	Meter Skid	Opsco Energy Ind.	6" separator	Sweet	D	
20-5024	Separator Meter Skid	Lan Dale Welding	8"x48"	Sweet	C	Two Phase Separator, 8742 KPA@38c
20-5025	Separator Meter Skid	Lan Dale Welding	8"x48"	Sweet	C	Double Well Meter Skid, 2 phase Separator, 4965kpa@38C
20-5026	Separator Meter Skid	Lan Dale Welding	8"x48"	Sweet	C	Double Well Meter Skid, 2 phase Separator, 9930kpa@38C



For more information please contact

Laurel Alston - Equipment Inventory Coordinator

laurel.alston@perpetualenergyinc.com

Phone: 403-269-4498

21-5001	Office/Control Rm.	Atco	10'x34'	N/A	D	UPS system & Electronics in building
21-5006	Office	N/A	10'x30'	N/A	C	Converted wellsite trailer - Air Cond. Forced air furnace, water tank, 3 piece bathroom
32-5001	Office	N/A	14' x 10' x 8'	N/A	C	Double end door
21-5002	MCC Skid	N/A	12'x10'x8'	N/A	B	Insulated, 100 Amp service
24-5003	Disposal Pump Skid	Hercules Driver		N/A	D	Triplex pump Kierr, Centrifugal Booster Gould pump. - Winter Access
27-5002	Amine Plant	Alco	N/A	Sweet	C	Alco-Reflux Tower MAWP 40psi@275F, Amine Reboiler BTU Rating 700,000,MAWP 40psi@275, Surge Tank, Inlet Filter/Sep.- MAWP 1440psi@130F
29-5005	Natural Gas Slug Catcher	Nusco	60"x16' ss-2 section	Sweet	B	2 phase, 275 psi @100F, Horz.
29-5001	Separator	I.P.Contractor, Model V0002 Div 1W	36"x16'	Sour	C	Heavy Oil 2 phase, 1379 kpa @200C, Horz.
29-5003	Separator	Flo Skid	48"x10'	Sweet	C	400 psi, 2 phase, Horz.
30-5001	Separator	Bromley	20"x60"	Sweet	C	3 phase,(piped 2 phase) 720 psi, Vert., - no meth. tank
30-5002	Separator	Chadco Canada	24"x8'	Sour	C	3 phase, 740 psi@100F, Vert.
30-5004	Separator	RJV	406mmx1524mm	Sour	C	1440 psi, Sour Service, c/w250Gallon Metal Chem Tank, TXT chem pump, Fuel gas Scrubber, Vert.
30-5005	Separator	RJV	406mmx1524mm	Sour	C	Vert.
30-5006	Separator	RJV	406mmx1524mm	Sour	C	1440 psi, Sour Service, c/w250Gallon Metal Chem Tank, TXT chem pump, Fuel gas Scrubber, Vert.
30-5007	Separator	Bimac	24"x8'	Sweet	D	3 phase,
30-5010	Separator	Energy Industries	20"x90"	Sweet	C	2 phase, 720 psi,, Vert.
30-5011	Separator	RJV	16"x60"	Sour	B	2 phase, 720 psi,, Vert.
30-5012	Separator	Mar-Quinn	16"x86"	Sweet	B	720 psi, 2 phase,Vert.
PKG1452	Separator	Moss Fabrication	16"	Sour	A	300# 2 phase,Vert,
PKG1453	Separator	Moss Fabrication	16"	Sour	A	300# 2 phase,Vert,
PKG1454	Separator	Moss Fabrication	16"	Sour	A	300# 2 phase,Vert,
PKG1455	Separator	Moss Fabrication	16"	Sweet	A	300#, 2 phase, Vert,
30-5017	FloDrip-Storage Syst	LoFlo		Sweet	A	Plastank Storage System by Flodrip. 10' X 22' X 12' 500 gallon single wall chemical tank
30-5018	FloDrip-Storage Syst	LoFlo		Sweet	A	Plastank Storage System by Flodrip. 10' X 22' X 12' 500 gallon single wall chemical tank



For more information please contact

Laurel Alston - Equipment Inventory Coordinator

laurel.alston@perpetualenergyinc.com

Phone: 403-269-4498

31-5001	Group&Test Sep.	Kanbuilt Ind.	Test-30"x72" Group 54"x120"	Sweet	D	2 phase - Winter Access
31-5002	Group&Test Sep.	Kanbuilt Ind.	Test-30"x72" Group 54"x120"	Sweet	D	2 phase - Winter Access
33-5001	Chemical Bubble Sweeting Tower	BS&B	48"x20'	Sweet	C	800 psi/100F
34-5004	Tank	Wilco	300 BBL	Sweet	C	Insulated not heated
34-5006	Tank	Argo Sales	200 BBL	Sweet	B	Coated Type EC376, Insulated
34-5009	Tank	Nusco	100 BBL	Sweet	B	
34-5012	Tank	Nusco	400 BBL	Sweet	B	Internally coated with Devoe 253, Heat coil
34-5016	Tank	GLM	750 BBL	Sweet	C	Not insulation, no internal coating
34-5018	Tank	MoCoat	400 BBL	Sweet	B	MoCoat fibreglass, Water Storage,
34-5022	Tank	ZCL	50 BBL	Sweet	B	Fibreglass Tank, dual wall construction
34-5023	Tank in Tub	Oil & Gas Field Service	10'x18'x10"	Sweet	D	Cat. Heated in inner wall
34-5024	Tank w/Building	N/A		Sweet	C	12' X14' X10' building with tank inside, Not insulated
34-5028	Tank	GLM	100 BBL	Sweet	D	Open top.
43-5003	Wellhead Driver	Kudu, Model VH60		Sweet	B	Kudu Top Drive - Model VH60, 750 rpm c/w 30HP Baldor TEFC 230/460 Volt 1173 rpm Electric Motor, - Western Pump Solutions Drivers
43-5004	Wellhead Driver	Kudu, Model VH60		Sweet	B	Kudu Top Drive - Model VH60, 750 rpm c/w 30HP Baldor TEFC 230/460 Volt 1173 rpm Electric Motor, - Western Pump Solutions Drivers
44-5001	Incinerator	Westland Env., Model CY-2020-FA-NAT		Sweet	A	HP-Frac Btu's x 1000, prim 450, secondary 250
44-5002	Incinerator	Tornado, Model TTI-SCI		Sweet	B	40' Incinerator 24" OD X 18: ID X 40' - Refractory Lined
88-5001	Instrumental Air/Generator/Office	Instr. Air Comp.Eagle, Model 46302A, Gen.- Waukesha Model F11G,		Sweet	C	Building - 36'x20'x16'
38-5001	Vapour Recovery Pkg	Abax Energy	30"x40'	Sweet	B	

Tubulars

700 Meters	8" SDR 11 PE 4710 HDPE Sticks Poly				Located in Viking
2231.38 Meters	6" SDR 7.3 PE 4710 Sticks Poly				Located in Viking
19,527 Meters	4" 156 Gr 359 Cat 11 Sour w/1.5" insul-8 Sys-B M.O.				Mill certs available - located in Edmonton